

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/824,772	04/04/2001	Laure Seguin	205513US2	1507
22850	7590 11/22/2005		EXAM	INER
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET			LY, ANH VU H	
	ALEXANDRIA, VA 22314		ART UNIT	PAPER NUMBER
			2667	_

DATE MAILED: 11/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	(K					
	Application No.	Applicant(s)				
Office Asticus Occurrence	09/824,772	SEGUIN, LAURE				
Office Action Summary	Examiner	Art Unit				
	Anh-Vu H. Ly	2667				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 13 Se	eptember 2005.					
2a) ☐ This action is FINAL . 2b) ☒ This						
3) Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-5,7-21 and 23-29</u> is/are pending in t	the application.					
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) <u>5,12,14,16,21,24,26 and 28</u> is/are allowed.						
<u> </u>	6)⊠ Claim(s) <u>1-4,7-10 and 18-20</u> is/are rejected.					
7) Claim(s) <u>11,13,15,17,23,25,27 and 29</u> is/are of						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine						
10) The drawing(s) filed on is/are: a) acce						
Applicant may not request that any objection to the	* * * * * * * * * * * * * * * * * * * *					
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a))-(d) or (f).				
1. ☐ Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents		on No				
3. Copies of the certified copies of the prior	ity documents have been receive	ed in this National Stage				
application from the International Bureau	ı (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list	of the certified copies not receive	ed.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:	ate Patent Application (PTO-152)				

Application/Control Number: 09/824,772 Page 2

Art Unit: 2667

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 23, 2005 has been entered.

Claim Objections

2. Claims 2-5, 7, 9-21, and 23-29 are objected to because of the following informalities:

With respect to claim 2, in line 1, "the layer" lacks clear antecedent basis and in lines 2-3, "time intervals the second and sub-layer" should be changed to - -time intervals and the second sub-layer- -.

With respect to claims 3-4, 7, 9-10, in line 1, "the layer" lacks clear antecedent basis.

With respect to claim 5, in line 15, "the layer" lacks clear antecedent basis.

With respect to claim 11, in line 2, "the layer" lacks clear antecedent basis.

Applicant is requested to review other objected claims for lacking clear antecedent basis issue.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-4 and 8 are rejected under 35 U.S.C. 102(e) as being anticipated by Ahmadvand (US Patent No. 6,477,670 B1).

With respect to claim 1, Ahmadvand discloses a system for transmitting data over a physical resource (Fig. 3), comprising:

A layer configured to manage the physical resource and to guarantee a quality of service (Fig. 3 and col. 6, lines 13-19 – there are a number of entities inside a QoS plane that can be dynamically reconfigured or fine tuned and optimized to meet specific QoS requirements of a CoS. This includes, segment size, resource assignments, logical channel to transport channel mapping, priorities, etc...), wherein access to the physical resource is divided into transmission time intervals (Fig. 3 illustrates a number of transport channels containing multiplexed RLC PDUs or RLC frames. According to the UMTS network and its specifications, each transport channel has a equal transmission time interval (TTI), which is required by the physical layer for sending a block of packets or Transport Block Set from MAC to the physical layer; wherein the number of packets in the Transport Block as well as the size of a Transport Block is governed by the peer-peer RRC connection);

A first sub-layer configured to supply a transmission support in accordance with the quality of service and to segment the data into transmission units (col. 5, lines 53-59 – each QoS

Art Unit: 2667

plane is configured to handle a CoS and each including D-RLC and C-RLC. D-RLC and C-RLC receive the IP data packets 45, create the RLC PDUs, or RLC frames), the first sub-layer reducing a size of at least one of the transmission units when transmission conditions on the physical resource are degraded (col. 6, lines 58-65 – SCR module of the D-RLC chops the IP packet 46 into smaller size packets, which are more suitable for error recovery and retransmission. These smaller size packets may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions. This implies that when the radio link conditions degraded and increased error rates, small size packets are used for better error recovery and reduced error rates);

A second sub-layer configured to transmit at least one of the transmission units over the physical resource during each of the transmission time intervals (Fig. 3, MAC layer 80 multiplexed RLC PDUs onto different transport channels for transmitting by the physical layer according to TTIs of the transport channels), the transmission time interval being a periodic time interval during which the second sub-layer is allowed to access the physical resource (According to the UMTS network and its specifications, each transport channel has a equal transmission time interval (TTI), which is required by the physical layer for sending a block of packets or Transport Block Set from MAC to the physical layer); and

A physical layer configured to perform error correction coding or decoding of the data (col. 4, lines 55-57 – the physical layer of the UMTS radio interface is responsible for coding and modulation of data transmitted over the air, which also responsible for decoding and demodulation in the reverse mode).

Page 5

With respect to claim 2, Ahmadvand discloses that the layer determines a plurality of sizes of the transmission units for the transmission time intervals (col. 6, lines 13-17 – a number of entities inside a QoS plane that can be dynamically reconfigured or fine tuned and optimized to meet specific QoS requirements of a CoS. This includes, segment size at the SCR module of the RLC. This implies that the segment size is variable and more than one size is available for the transmission units); the second sub-layer selects one of the plurality of sizes according to the transmission conditions (col. 6, lines 58-65 – SCR module of the D-RLC chops the IP packet 46 into smaller size packets, which are more suitable for error recovery and retransmission. Herein, a packet size is already selected); and the second sub-layer selecting a smaller one of the plurality of sizes when the transmission conditions on the physical resource are degraded (col. 6, lines 58-65 - smaller size packets may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions. This implies that when the radio link conditions degraded and increased error rates, smaller size packets are used for better error recovery and reduced error rates).

With respect to claim 3, Ahmadvand discloses that wherein the layer (assumed as the first sub-layer) adjusts the size of each of the transmission units according to the transmission conditions and transmits the size adjusted to the second sub-layer (col. 6, lines 58-65 – smaller size packets, forwarded to the MAC layer for multiplexing, may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions).

With respect to claim 4, Ahmadvand discloses that wherein the layer (assumed as the first sub-layer) reduces the size of each of the transmission units when the transmission conditions on the physical resource are degraded (col. 6, lines 58-65 – smaller size packets may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions. This implies that when the radio link conditions degraded and increased error rates, small size packets are used for better error recovery).

With respect to claim 8, Ahmadvand discloses a UMTS mobile telephone system using the system of claim 1(Fig. 3).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 7 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmadvand (US Patent No. 6,477,670 B1) in view of Hwang (US Pub 2004/0057460 A1).

With respect to claims 7 and 18-20, Ahmadvand discloses retransmission (col. 6, line 61). Ahmadvand does not disclose that the layer is configured to retransmit the transmission units if acknowledgement is not received. Hwang discloses that the layer is configured to retransmit the transmission units if acknowledgement is not received (page 4, lines 3-6 – if the RLC 100 detects

that there is no acknowledgement on transmission of each PDU, the RLC should multiplex the present PDU, and retransmits the PDU). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of retransmissions when acknowledgments are not received in Ahmadvand's system, as suggested by Hwang, to guarantee that packets are fully received at the receiving end.

Page 7

5. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmadvand (US Patent No. 6,477,670 B1) in view of Sarkkinen et al (US Patent No. 6,950,420 B2)). Hereinafter, referred to as Ahmadvand and Sarkkinen.

With respect to claims 9 and 10, Ahmadvand discloses a UMTS system for providing different quality of services (Fig. 3). Ahmadvand does not disclose that the layer supplies to the second sub-layer the plurality of sizes by means of a table. Sarkkinen discloses that the layer supplies to the second sub-layer the plurality of sizes by means of a table (col. 6, lines 50-54 the UTRAN/MAC will obtain a TFC (table) from RRC and will make a TF selection for an upcoming TTI. It will inform the UTRAN/Tr-RLC of the appropriate data block size and data block set size). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of sending a TFC to second sub-layer or MAC layer in Ahmadvand's system, as suggested by Sarkkinen, to select an appropriate size for the transmission units according to radio link conditions.

Application/Control Number: 09/824,772 Page 8

Art Unit: 2667

Allowable Subject Matter

6. Claims 11, 13, 15, 17, 23, 25, 27, and 29 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

7. Claims 5, 12, 14, 16, 21, 24, 26, and 28 are allowed.

Response to Arguments

8. Applicant's arguments filed September 13, 2005 have been fully considered but they are not persuasive.

Applicant argues in page 10 that Ahmadvand fails to disclose or suggest that access to the physical resource is divided into transmission time intervals, which are defined as a periodic time interval during which the second sub-layer is allowed to access the physical resource. Examiner respectfully disagrees. Fig. 3 illustrates a number of transport channels containing multiplexed RLC PDUs or RLC frames. According to the UMTS network and its specifications, each transport channel has a equal transmission time interval (TTI), which is required by the physical layer for sending a block of packets or Transport Block Set from MAC to the physical layer; wherein the number of packets in the Transport Block as well as the size of a Transport Block is governed by the peer-peer RRC connection. Therefore, transmission time intervals or TTIs for accessing the physical resource by the second sub-layer as governed by the RRC is inherent disclosed by Ahmadvand.

Art Unit: 2667

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh-Vu H. Ly whose telephone number is 571-272-3175. The examiner can normally be reached on Monday-Friday 7:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

avl